PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368



Sample CBD Curcumin Softgels (202418087601)

 Sample ID
 SD220902-009 (50916)
 Matrix
 Edible (Other Cannabis Good)

 Tested for Ajax Creations
 Sampled - Received Sep 01, 2022
 Reported Sep 06, 2022

 Analyses executed CAN+
 Unit Mass (g) 16.645
 Serving Size (g) 0.555

Laboratory note: unit size = 30 pieces

CAN+ - Cannabinoids Analysis

Analyzed Sep 05, 2022 | Instrument HPLC-VWD | Method SOP-001 Measurement Uncertainty at 95% confidence 7.806%

riedsorement oncertainty at 33% confidence 7.000%						
Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Result mg/Serving	Result mg/Package
Cannabidivarin (CBDV)	0.039	0.16	ND	ND	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND	ND	ND
Cannabidiol (CBD)	0.001	0.16	4.75	47.54	26.39	791.32
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND	ND	ND
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	ND	ND	ND	ND
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	ND	ND	ND	ND
Cannabicyclol (CBL)	0.002	0.16	ND	ND	ND	ND
Cannabichromene (CBC)	0.002	0.16	ND	ND	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND	ND	ND
Total THC (THCa * 0.877 + THC)			ND	ND	0.00	ND
Total CBD (CBDa * 0.877 + CBD)			4.75	47.54	26.39	791.32
Total CBG (CBGa * 0.877 + CBG)			ND	ND	0.00	ND
TOTAL CANNABINOIDS			4.75	47.54	26.38	791.32

UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1
gram
TNTC Too Numerous to Count









Scan the QR code to verify authenticity. Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Tue, 06 Sep 2022 17:17:26 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1

